


Scope according to		<input type="checkbox"/> Directive 2014/68/EU Annex I §4.3	<input type="checkbox"/> EN 764-4	<input type="checkbox"/> AD 2000-Merkblatt W0	<input checked="" type="checkbox"/> FPC, Regulation (EU) No. 305/2011(System 2+)							
Manufacturer			Work		Nationality	Date	Page No..					
Company Name: STOMANA INDUSTRY S. A.			Pernik		Bulgaria	21.6.2018	1	TÜV Rheinland Industrie Service GmbH				
Location: 1, Vladajsko vastanie, 2304 Pernik, Bulgaria						Rev.:4	of : 3					
Cur	Materials-term Materials-No.	Material Specification	Delivery Cond. *	Article Type of Product	Dimensions				Weight max 1=t / 2=kg ↓ res ult	Technical Specifications Requirements Technical Regulations	Remarks	
					Thick-ness mm		Ø mm					
					from	Up to	from	Up to				
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10
4. Details of Validity of the factory production control of hot rolled Products of Structural Steels and Stainless Steels in accordance to Regulation 305/2011/EU: System 2+												
1	S235JRC, S235J0C, S235J2C, S275JRC, S275J0C, S275J2C, S355JRC, S355J0C, S355J2C, S355K2C	EN 10025-2:2004	+AR, +N	Plate	7	30	-	-	-	-	EN 10025-1:2004, EN 10029	---
2	S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2, S355K2	EN 10025-2:2004	+AR, +N	Plate	7	60	-	-	-	-	EN 10025-1:2004, EN 10029	---
3	S235J0W, S235J2W, S355J0W, S355J2W, S355K2W	EN 10025-5:2004	+AR, +N	Plate	7	60	-	-	-	-	EN 10025-1:2004, EN 10029	---
4	S355N	EN 10025-5:2004	+N	Plate	7	60	-	-	-	-	EN 10025-1:2004, EN 10029	---
Remarks		+AT = solution annealed +AR = as rolled +M = thermo mechanical treated +N = normalized or normalizing formed			+NT = normalized and tempered +QT = quenched and tempered +S = soft annealed +SR = stress relieved			a = PMA for the use in pressure equipment in Directive 2014/68/EU necessary				



Scope according to	<input type="checkbox"/> Directive 2014/68/EU Annex I §4.3	<input type="checkbox"/> EN 764-4	<input type="checkbox"/> AD 2000-Merkblatt W0	<input checked="" type="checkbox"/> FPC, Regulation (EU) No. 305/2011(System 2+)								
Manufacturer			Work	Nationality	Date	Page No..						
Company Name: STOMANA INDUSTRY S. A.			Pernik	Bulgaria	21.6.2018	2	TÜV Rheinland Industrie Service GmbH					
Location: 1, Vladajsko vastanie, 2304 Pernik, Bulgaria					Rev.:4	of : 3						
Cur	Materials-term Materials-No.	Material Specification	Delivery Cond. *	Article Type of Product	Dimensions				Weight max 1=t / 2=kg ↓ res ult	Technical Specifications Requirements Technical Regulations	Remarks	
					Thick-ness mm		Ø mm					
					from	Up to	from	Up to				
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10
4. Details of Validity of the factory production control of hot rolled Products of Structural Steels and Stainless Steels in accordance to Regulation 305/2011/EU: System 2+												
5	S235JR, S235J0, S235J2, S235JRC, S235J0C, S235J2C, S275JR, S275J0, S275J2, S275JRC, S275J0C, S275J2C, S355JR, S355J0, S355J2, S355K2, S355JRC, S355J0C, S355J2C	EN 10025-2:2004	+AR, +N	Round	-	-	22	120	-	-	EN 10025-1:2004, EN 10060	---
6	S235JR, S235J0, S235J2, S235JRC, S235J0C, S235J2C, S275JR, S275J0, S275J2, S275JRC, S275J0C, S275J2C, S355JR, S355J0, S355J2, S355K2, S355JRC, S355J0C, S355J2C	EN 10025-2:2004	+AR, +N	Angle, equal leg	5	12	-	-	-	-	EN 10025-1:2004, EN 10056-1/-2	Leg length from 60 to 120 mm
Remarks	+AT = solution annealed +AR = as rolled +M = thermo mechanical treated +N = normalized or normalizing formed			+NT = normalized and tempered +QT = quenched and tempered +S = soft annealed +SR = stress relieved			a = PMA for the use in pressure equipment in Directive 2014/68/EU necessary					



Scope according to		<input type="checkbox"/> Directive 2014/68/EU Annex I §4.3	<input type="checkbox"/> EN 764-4	<input type="checkbox"/> AD 2000-Merkblatt W0	<input checked="" type="checkbox"/> FPC, Regulation (EU) No. 305/2011(System 2+)							
Manufacturer			Work		Nationality	Date	Page No..					
Company Name: STOMANA INDUSTRY S. A.			Pernik		Bulgaria	21.6.2018	3	TÜV Rheinland Industrie Service				
Location: 1, Vladajsko vastanie, 2304 Pernik, Bulgaria						Rev.:4	of : 3	GmbH				
Cur	Materials-term Materials-No.	Material Specification	Delivery Cond. *	Article Type of Product	Dimensions				Weight max 1=t / 2=kg ↓ result	Technical Specifications Requirements Technical Regulations	Remarks	
					Thick-ness mm	∅ mm	from	Up to				from
1	2	3	4	5	6a	6b	7a	7b	8a	8b	9	10
4. Details of Validity of the factory production control of hot rolled Products of Structural Steels and Stainless Steels in accordance to Regulation 305/2011/EU: System 2+												
7	S235JR, S235J0, S235J2, S235JRC, S235J0C, S235J2C, S275JR, S275J0, S275J2, S275JRC, S275J0C, S275J2C, S355JR, S355J0, S355J2, S355K2, S355JRC, S355J0C, S355J2C	EN 10025-2:2004	+AR, +N	Channel	6	10	-	-	-	-	EN 10025-1:2004, EN 10279, DIN 1026	Width from 80 to 160 mm
8	S235JR, S235J0, S235J2, S275JR, S275J0, S275J2	EN 10025-2:2004	+AR, +N	Flat	25	75	-	-	-	-	EN 10025-1:2004, EN 10058	---
Remarks		+AT = solution annealed +AR = as rolled +M = thermo mechanical treated +N = normalized or normalizing formed		+NT = normalized and tempered +QT = quenched and tempered +S = soft annealed +SR = stress relieved		a = PMA for the use in pressure equipment in Directive 2014/68/EU necessary						

